



# **INLINE 400**

#### **APPLICATIONS**

- City water pressure boosting
- Pressurize water from cistern tank
- Re-pressurizing after filtration
- Irrigation system boosting

#### **FEATURES**

- Utilizes proven Franklin Electric pump and motor to create the most trustworthy product on the market
- Simple flow-based controls mean you get the pressure every time you need it
- Whisper-quiet operation
- Installs vertically or horizontally
- 1" NPT inlet and outlet
- 115 V and 230 V models available
- Plug-in electrical cord connected unit
- Protective features: Over/Under voltage protection, dry run, and over temperature
- Product power rating: 1/3 hp, 0.246 kW
- Maximum Water Temperature: 120 °F / 49 °C

### ORDERING INFORMATION

Model Description	Order No.	HP	Input Voltage
Inline 400 115 V	92061501	1/3	115 V
Inline 400 230 V	92061502	1/3	230 V

### REPLACEMENT PARTS AND KITS


Model Description	Order No.		
Tank Wrench	305572001		
Horizontal Mount Kit	305572002		
Inlet Pressure Switch	305572007		
Outlet Pressure Switch	305572008		
Replacement Tank	305572009		
Replacement Cover	305572010		
Replacement Base	305572011		
Motor Capacitor - 115 V	305572012		
Motor Capacitor - 230 V	305572013		
Power Cord - 115 V	305572014		
Power Cord - 230 V	305572015		
Flow Piston Kit	305572016		
Tank 0-ring	305572017		






# **INLINE 400**


## PERFORMANCE



### TYPICAL INSTALLATION



# DIMENSIONS





franklinwater.com M1743 03-15